

# **Pearls for Hair loss**

**Natasha A. Mesinkovska MD PHD**


Vice Chair, Clinical Research  
Department of Dermatology  
University of California, Irvine  
2023 West Coast Derm

# **Disclosure**

- **No conflict of interest**
- **National Alopecia Areata Foundation**
  - Chief Scientific Officer 2015-2022
- **University of California Irvine**
  - Principal Investigator: Abbvie, Arcutis, Arena, BMS, Concert, Galderma, Merz, Lilly, Kadmon, Novartis, Pfizer.
  - Advisory Board,/Honoraria/Fees: Arena, Galderma, Lilly, Nutrafol, Concert, Loreal, Pfizer



Natasha A. Mesinkovska MD PhD



CLINICAL  
CORRELATION  
RECOMMENDED

# The long awaited alopecia biopsy report

## FINAL DIAGNOSIS:

A. Skin, right frontal scalp, punch biopsy: **Non-scarring alopecia (see comment)**

- Histological features demonstrate normal hair follicles, with no signs of scarring or chronic inflammation. There is no evidence of telogen effluvium or androgenetic alopecia.
- These are features of nonscarring alopecia, and the differential diagnosis includes **telogen effluvium, androgenetic alopecia, or chronic (burnt out) state of alopecia areata**.
- **Clinical correlation is recommended**

# **When things don't improve**

**Diagnosis  
Is it "only" AGA or not?**

# **Agenda: PEARLS**

- 1. ASK**
- 2. EXAM**
- 3. WORK UP**



# **Tip 1: Ask about allergies**



# Tip 1: Ask about allergies

## Acute Flare of AD and hair loss

Hx  
AD  
AA  
Allergies



Immunoglobulin E

<OR=114 kU/L

4,255 ^



# Allergen Profile With Total IgE, Respiratory-Area 13

## IgE allergy testing for:

- **Alder (t2)**
- ***Alternaria alternata* (a mold) (m6)**
- ***Aspergillus fumigatus* (m3)**
- **Bermuda grass (g2)**
- **Cat dander (e1)**
- ***Cladosporium herbarum* (m2)**
- **Cocroach (i6)**
- **Common ragweed (short) (w1)**
- **Cottonwood (t14)**
- ***Dermatophagoides farinae* (d2)**
- ***Dermatophagoides pteronyssinus* (d1)**
- **Dog dander (e2)**
- **Elm (t8)**
- **Johnson grass (g10)**
- **Mountain cedar (t6)**
- **Mouse Urine Proteins (e72)**
- **Mugwort (sagebrush) (w6)**
- **Mulberry (t70)**
- **Oak (t7)**
- **Olive (t9)**
- ***Penicillium notatum* (m1)**
- **Rough pigweed (w14)**
- **Russian Thistle (prickly saltwort) (w11)**
- **Timothy grass (g6)**
- **Walnut tree (t10)**

Labcorp 602643

# Olive trees allergy

Oli...  
Oli...  
Oli...

Class Olive Tree (T9) IgE

kU/L

10.90 ^

3



# Atopy is #1 Comorbidity in AA

NAAF registry

## Adults

Cohort	Prevalence, % Cohort	Prevalence, %	
Atopy <sup>†</sup>	38.20	Current study	
Thyroid disease	14.60	Atopic dermatitis*	28.6–34.4
Diabetes mellitus	11.10	Vitiligo	3.14
Psoriasis, psoriatic arthritis	6.30	Psoriasis	1.89
Systemic lupus erythematosus	4.30	Hypothyroidism	0.94
Rheumatoid arthritis	3.90	Hashimoto's	0.63
Vitiligo	2.80	Juvenile idiopathic arthritis	0.63
Inflammatory bowel disease	2.80	Rheumatoid arthritis	0.31
		Raynaud syndrome	0.31
		Celiac disease	0.31
		Ulcerative colitis	0.31

## Children


Sorrell J et al Pediatr Dermatol. 2017

Natasha A. Mesinkovska MD PhD

# Areata and Allergies

- **AA type 1** vs. **atopic dermatitis type 2**
- **ATOPY**

- **AD**
- **rhinitis**
- **asthma**



- **AA IgE elevation**

Li SF et al. Allergy to dust mites may contribute to early onset and severity of alopecia areata. Clin Exp Dermatol. 2015 Mar;40(2):171-6.


JAMA Dermatol. 2014 Sep;150(9):952-6. Diagnostic usefulness of a peribulbar eosinophilic infiltrate in alopecia areata.

**Natasha A. Mesinkovska MD PhD**

# **Seasonal “flares” in AA and atopic dermatitis**



# Atopic Dermatitis and AA




Seasonal variation and monthly patterns in Korean children with AD  
Kim M, et al.  
*Allergy Asthma Proc.* 2017 Jul 1;38(4):294-299.

# AA: WHAT are the BEES ?

## Lymphocytes at hair bulb:

- **60–80% CD4+ T cells<sup>1</sup>**
- **20–40% CD8+ T cells<sup>1</sup>**
- **NK cells<sup>1,5</sup>**
- **Dendritic cells<sup>2,4</sup>**
- **Mast cell**




Adapted from Olayinka JT and Richmond JM. 2021.<sup>3</sup>


AA, alopecia areata; CD, cluster of differentiation; HF, hair follicle; NK, natural killer; Te, cytotoxic T; Th, T helper.  
1. Ito T. *Clin Dev Immunol*. 2013;2013:40. 2. Simakou T, et al. *J Autoimmun*. 2019;97:74–85. 3. Olayinka JT and Richmond JM. *Curr Rev Immunol*. 2021;37:7–11. 4. Bertolini M, et al. *Exp Dermatol*. 2020;29(8):703–25.  
5. Jabbari A, et al. *Kidney Medicine*. 2016;7:240–7. 6. Xing L, et al. *Nat Med*. 2014;20(9):1043–9. 7. Pratt CE, et al. *Nat Rev Dis Primers*. 2017;3:17012.

# Alopecia Areata Histology

- **Eosinophils**
  - Around hair bulbs
  - Acute AA 30.8% vs. c
- **Mast cells**
  - Around hair bulbs



normal



Alopecia  
Areata

JAMA Dermatol. 2014 Sep;150(9):952-6. Diagnostic usefulness of a peribulbar eosinophilic infiltrate in alopecia areata.  
Li SF et al. Allergy to dust mites may contribute to early onset and severity of alopecia areata. Clin Exp Dermatol. 2015 Mar;40(2):171-6.

# **Agenda: PEARLS**

- 1. ASK**
- 2. EXAM**



# **1. Check The Occiput**



- If that part  
is WIDE**
- NOT “just  
AGA”**

## Tip 2: Search for red areas

- **SUBTLE**
- **Erythematous patches and plaques**
- **Inflammation**
  - **Alopecia areata**
  - **Lupus erythematosus**
  - **Lichen planopilaris**
  - **Psoriasis**



## **Psoriasis**



## **Discoid Lupus erythematosus**



# **Tip 3. Do not ignore grey hair tufts**



- **46 yo F**
- **Nonscarring alopecia AGA vs. Telogen**
- **Erythematous patch**
- **Grey hair**
  
- **Alopecia areata**
- **ILK 2.5**

## **Tip 3. Do not ignore gray hair tuft**



**AA**


• **JAKI**



Natasha A Mesinkovska MD PhD

## Tip 4. Do not miss the scale

- **Sebopsoriasis 28%**
- **Psoriatic alopecia**
  - **Diffuse**
  - **Patchy**
  - **Histology:**
  - **sebaceous gland atrophy?**
  - **Increased risk for alopecia areata 2.50R**



**Psoriatic plaque**



**Psoriasis**



# **AGA ? Or Psoriatic alopecia**

**Psoriatic alopecia  
Regrowth with  
betamethasone dipropionate/calcipotriol hydrate**



# **Apremilast**



**PSORIATIC ALOPECIA**

# **Tip 5. Look around ...**

- **EARS**
- **MOUTH**
- **FACE**



# **Forehead lack of wrinkles**



**Veins**

**FFA 62 yo**

# Allergic shiners?



**Pt with AA**

**AA**



**EYELASHES??**

# **FACIAL PAPULES = FFA**



**28 y/o FFA patient**

- **FULL BODY ?**

**Psoriasis**




# Allergy to Hair dye PPD



Natasha A Mesinkovska MD PhD

# ACD

- **zinc  
pyrithione  
in shampoo**




[Chih-Wei Hsieh, Mei-Eng Tu, Yu-hung Wu](#)  
Published 2010 Medicine

# **Tip 8: Pull out your dermatoscope**




# Tip 8: Pull out your dermatoscope

**1. Alopecia areata**



**Exclamation  
hair**

**2. Tinea capitis**



**Coma, curly**

## **Lichen plano pilaris**



# **Agenda: TIPS**

- 1. ASK**
- 2. EXAM**
- 3. WORK UP**



# **Check LAB: IgE**

**Serum IgE biomarker in  
anyone with Atopy and  
Hair loss!**

Natasha A. Mesinkovska MD PhD

# Antihistamines in AA



**YOU HAVE ATOPY,  
YOU GET AN OFFER**

- Prophylactic
- high-risk flare months

Pham C. 2019  
manuscript

# Dupilumab improves AA

- **Woman**
- **8 years AU**
- **30+ publications**



[Remission of alopecia universalis in a patient with atopic dermatitis treated with dupilumab](#)

Jan Smogorzewski, JAAD Case Rep. 2019 Jan 12;5(2):116-117

Natasha A. Mesinkovska MD PhD

# **Atopy, Inflammation and alopecia**

- **Allergy testing!**

## **Tip 2: Re-biopsy**

- **75yo**
- **Hx:AGA**






**75yo F, initial presentation**


# Tip 2: Re-biopsy

75yo F

punch biopsy - scalp



H&E, 4x




Ki67, 40x

- **Actinic damage**
- **Start diclofenac sodium topical 3%**
  - Not approved

**75yo F,  
s/p diclofenac 1% (OTC) TID x 6 months**



**5 mo follow-up**



**1 year**

**Take GOOD photos!**

Natasha A. Mesinkovska MD PhD