## What's In and What's Out

Shasa Hu, MD, FAAD Director of Cosmetic Division Associate Professor Dr Philip Frost Department Dermatology and Cutaneous Surgery



UNIVERSITY OF MIAMI MILLER SCHOOL of MEDICINE

#### No relevant conflict to disclose

# Off-label applications may be discussed

#### "Filler Ban" / "Pillow Face"

#### Young people are fleeing fillers and opting for facelifts

Beauty influencers tell "Impact x Nightline" about their cosmetic surgeries.

By <u>Marjorie McAfee</u>, <u>Claire Pedersen</u>, <u>Lizann Robinson</u>, <u>Laura Coburn</u>, <u>Mack</u> <u>Muldofsky</u>, <u>Stephanie Ramos</u>, and <u>Sean Keane</u> January 24, 2025, 8:22 AM



In March 2024, <u>Tallulah Willis</u> shared that after six years of getting filler injections, <u>she'd gotten it dissolved</u>. The star got candid, telling fans that she'd made the decision after "being very emotionally and psychologically wrapped up in what I thought it gave me."

The next month, <u>Lisa Rinna</u> responded to criticism of an "<u>overfilled look</u>" sharing that she'd recently tried a filler "was not good" for her and <u>had</u> since dissolved it.

<u>Olivia Culpo</u> shared in May that she had <u>dissolved her lip filler</u> before her wedding to Christian McCaffrey. "I'm really happy [with] the way they look now. Debating filling again but might just keep like this for the wedding," the then 31 year old told fans at the time.



BEAUTY


#### Are We Entering the Anti-Filler Era?

BY AUDREY NOBLE October 21, 2024

| COSMETIC MINIMALLY INVASIVE PROCEDURES*  | 2023       | 2022       | % CHANGE<br>2023 vs 2022 |
|--|------------|------------|--------------------------|
| Neuromodulator injection (Botox <sup>®</sup> , Dysport <sup>®</sup> , Xeomin <sup>®</sup> , Jeu-<br>veau <sup>®</sup> , Daxxify <sup>®</sup> )                       | 9,480,949  | 8,736,591  | 9%                       |
| Lip augmentation (with injectable materials)   | 1,439,291  | 1,378,631  | 4%                       |
| Noninvasive fat reduction (e.g., CoolSculpting®, Liposonix® ,<br>Emsculpt®, Vanquish®, Zerona®, Kybella® )   | 745,967    | 682,932    | 9%                       |
| Noninvasive skin tightening (e.g., Pelleve®, Thermage®, Ulthera®)  | 438,211    | 408,970    | 7%                       |
| Sclerotherapy  | 515,602    | 491,330    | 5%                       |
| Skin resurfacing (e.g., dermabrasion, chemical peel, lasers -<br>ablative/non-ablative, microdermabrasion)   | 3,501,696  | 3,322,292  | 5%                       |
| Skin treatment (combination lasers) (e.g., laser hair removal, IPL treatment, laser tattoo removal, laser treatment of leg veins)                                    | 3,101,772  | 2,915,199  | 6%                       |
| Hyaluronic acid fillers (e.g., Juvederm Ultra®, Ultra Plus®,<br>Voluma®, Volbella®, Vollure®, Restylane Lyft®, Restylane Silk®,<br>Belotero®, Bolvella®, Restylane®) | 5,294,603  | 4,883,419  | 8%                       |
| Non-hyaluronic acid fillers (e.g., Radiesse®, Sculptra®,<br>Bellafill®, Renuva® )  | 924,549    | 852,905    | 8%                       |
| TOTAL COSMETIC MINIMALLY INVASIVE PROCEDURES   | 25,442,640 | 23,672,269 | 7%                       |

\*\* All procedures include data from ASPS members as well as non-member dermatologists and otolaryngologists

### **Global Volume in Injectables 2010 - 2023**




Triana L. Aesth Plast Surg (2024) 48:4217-4227

### **Trends in Aesthetic Procedures**

• Continued increase in aesthetic procedures

- The millennial takeover continues
  - Patients aged 56 or older represent a lower % of overall procedures in 2021
- Social media influences consumer trends



PEW RESEARCH CENTER



### **Social Media**


- Instagram, Facebook, YouTube, TikTok, Reddit, consumer driven online sites
- Both providers and consumers can be "Influencers"
- Increased acceptance of cosmetic procedures





- Age- appropriate treatment plan while preserving individuality
- Rejuvenation vs. Pre-juvenation vs Beautification
- Multi-modal approach for panfacial/ long term plan, while targeting specific factors / vectors in aging
- Treat the skin, not just the lines

#### **Popular Procedures in the Younger Patients**



#### Neurotoxin

- Brow lift
- Lip flip
- "Baby botox"
- Eye opening BTA

#### **Dermal fillers**

- Lips
- Undereye
- Cheeks
- Jawline

#### Laser


- Acne scar
- Rosacea
- Photodamage

### **Frequently Requested Procedures**

- Brow lift
- Eye shaping
- Preventative (aka "baby botox")
- Lip flip
- Lip filler



## **Brow Lift**



Age- appropriate treatment plan while preserving individuality




### "Baby Botox"











## **Lip Filler Considerations**

- Lip filler may be the "gateway" procedure for Gen Z (vs. neurotoxin for millennials)
- The devil is in the detail
- Manage expectation & postprocedure care
- Limit to 1ml per session





#### **Be ready to treat overfilled lips**







# Jawline contouring is the new "lip filler"

### "Profileplasty" / Jawline Beautification

- Fueled by social media/ celeb transformation
- Chiseled, snatched, contoured jawline/ profile
- Multi-modal approach is often needed



# Submental fat reduction with deoxycholic acid









## Chin filler: projection, size, proportion, nasomental angle

#### **Deoxycholic acid + filler**




# Masseter BTA + chin filler + DCA







#### Masseter BTA + undereye filler + chin filler






#### **Beautification without Distortion**





Undereye filler, masseter slimming, upper lip filler, jawline with HD CAHA



#### Jawline Enhancement









## What's In

- Age- appropriate treatment plan while preserving individuality
- Rejuvenation vs. Pre-juvenation vs Beautification
- Multi-modal approach for panfacial/ long term plan, while targeting specific factors / vectors in aging
- Treat the skin, not just the lines



multiple vectors in facial aging and to improve skin quality

#### Global Consensus Guidelines for the Injection of Diluted and Hyperdiluted Calcium Hydroxylapatite for Skin Tightening

| ndication                                      | Average Volume of<br>Undiluted CaHA | Dilution Ratio                  | Injection Plane/<br>Technique  |  |
|--|-------------------------------------|---------------------------------|--|--|
| Pan-facial rejuvenation                        | 1.5 mL/side                         | Most commonly 1:1;<br>up to 1:3 | Subdermal<br>Retrograde linear fanning   |  |
| Neck   | 1.5 mL                              | 1:2–1:4                         | Immediate subdermal<br>Retrograde linear threads   |  |
| Décolletage                                    | 1.5 mL                              | 1:2–1:4*                        | Immediate subdermal<br>Retrograde linear threads<br>Immediate subdermal<br>Retrograde linear fanning |  |
| Mild laxity of the upper arm                   | 3 mL/arm                            | 1:2*                            |  |  |
| Abdomen  | 1.5 mL/100 cm <sup>2</sup>          | 1:1                             | Subdermal<br>Cross-hatching or fanning   |  |
| Buttocks                                       |                                     |                                 |  |  |
| Gluteal sagging; mild dermal<br>irregularities | 1.5 mL per side                     | 1:2 and 1:6, layered            | Deep dermal<br>Cross-hatching  |  |
| Mild laxity of the legs                        | 1.5 mL/100 cm <sup>2</sup>          | 1:2*                            | Immediate subdermal<br>Horizontal "rasping"  |  |
| Cellulite                                      | 1.5 mL per side                     | 1:1                             | Subdermal<br>Vectored fanning  |  |
| Striae   | 1.5–3 mL per session                | 1:1                             | Subcutaneous to superficial dermis   |  |
|  |                                     |                                 | Microbolus or retrograde linear thread   |  |

\*In select situations and in individuals with thicker skin, dilution ratios of 1:1 may be more appropriate. CaHA, calcium hydroxylapatite.

#### **Hyperdiluted CAHA**





# Now what about fat loss?




#### Renuva is not a Filler

Off-the-shelf allograft adipose derived matrix

| Material                        | НА  | PLLA  | РММА  | СаНа  |
|---------------------------------|---|---|---|---|
| Composition- Synthetic Polymers | Hyaluronic acid<br>Synthetic- man made HA   | Polylactic acid<br>Ground up vicryl sutures                 | Polymethylmethacrylate<br>bone cement ground up fiberglass  | Calcium Hydroxyapatite<br>Synthetic Calcium derivate consisting<br>of calcium microspheres                          |
| Onset of Action                 | Immediate   | 3 weeks   | Immediate & Gradual   | Immediate & Gradual   |
| Duration                        | 6 - 24 Months   | 25 Months   | Up to 5 Years   | 12 Months   |
| MOA                             | Various Degrees of Tissue Integration<br>& Binding with Water   | Collagen Stimulation of<br>Type I and III                   | Collagen Stimulation of Type I and III  | Immediate Fill & Collagen Stimulation of Type I and Type III  |
| Notable Properties              | G'<br>X-Strain<br>Cohesivity<br>Filler Fatigue<br>Frequent Injections Required to<br>Maintain Results | 3-Treatment Series<br>Same Material as Dissolvable Stitches | Made From Synthetic Polymer Known<br>as Plexiglass<br>Microspheres Generate Collagen<br>Permanent Implant associated with<br>Chronic Inflammation & fibrotic<br>nodules | G'<br>30% CaHA<br>70% Gel Carrier<br>No Reversible Agent<br>Opaque Material Makes It Visible on<br>CT Scans & XRays |

## **Renuva** – filling the gap

- Off-the-shelf allograft adipose derived matrix
- contains the same matrix proteins and components found in native adipose tissue
- Hypodermis/Adipose layer isolated from full thickness skin



Microscopic view of native

Slide courtesy of MTF

#### **Clinical Studies**







22

In-Vitro, In-Vivo, and Wrist Studies

2019 Kokai *et al.* Injectable allograft adipose matrix supports adipogenic tissue remodeling in the nude mouse and human

#### Panniculectomy Study

R

2020 Kokai *et al.* Clinical evaluation of an offthe-shelf allogenic adipose matrix for soft tissue reconstruction



#### **Temple Study**

2020 Gold *et al.* A multi-center, open-label, pilot study of allograft adipose matrix for the correction of atrophic temples

2020



#### Face Study

Gold *et al.* A multi-purpose, prospective, multi-center, single blind, clinical study to evaluate the safety and efficacy of allograft adipose matrix (AAM) at full and half concentration for pre-jowl and malar augmentation to correct age-related volume deficit in the face

2019

Slide courtesy of MTF

#### **Total of 9ml Renuva over 2 sessions**



## What's always in

- Have a solid foundation in skin biology
- Understand the impact of skin color, skin type on treatment efficacy and safety
- Less is more
- When in doubt, don't do it



#### Questions

### shu@miami.edu

IG: @drshasahu